

Illuminate \ Database \ QueryException(1045)  
SQLSTATE[HY000] [1045] Access denied for user 'root'@'localhost' (using password:

Application frames (3)

All frames (83)

82 Illuminate\Database\QueryException

.../vendor/laravel/framework/src/Illuminate/Database/Connection.php:664

81 Doctrine\DBAL\Driver\PDOException

.../vendor/doctrine/dbal/lib/Doctrine/DBAL/Driver/PDOConnection.php:31

80 PDOException

.../vendor/doctrine/dbal/lib/Doctrine/DBAL/Driver/PDOConnection.php:27

79 PDO\_\_construct

.../vendor/doctrine/dbal/lib/Doctrine/DBAL/Driver/PDOConnection.php:27

78 Doctrine\DBAL\Driver\PDOConnection\_\_construct

.../vendor/laravel/framework/src/Illuminate/Database/Connectors/Connector.php:67

77 Illuminate\Database\Connectors\Connector createPdoConnection

.../vendor/laravel/framework/src/Illuminate/Database/Connectors/Connector.php:46

76 Illuminate\Database\Connectors\Connector createConnection

.../vendor/laravel/framework/src/Illuminate/Database/Connectors/MySqlConnector.php

/mnt/raid5tb/share/www/cefintrucks.com/catalin/vendor/laravel/framework/src/Illuminate/Database/Connection.php

```
* @param array $bindings * @param \Closure $callback * @return mixed * * @throws \Illuminate\Database\QueryException */ protected function runQueryCallback($query, $bindings, Closure $callback) { // To execute the statement, we'll simply call the callback, which will actually // run the SQL against the PDO connection. Then we can calculate the time it // took to execute and log the query SQL, bindings and time in our memory. try { $result = $callback($query, $bindings); } // If an exception occurs when attempting to run a query, we'll format the error // message to include the bindings with SQL, which will make this exception a // lot more helpful to the developer instead of just the database's errors. catch (Exception $e) { throw new QueryException( $query, $this->prepareBindings($bindings), $e ); } return $result; } /** * Log a query in the connection's query log. * * @param string $query * @param array $bindings * @param float|null $time * @return void */ public function logQuery($query, $bindings, $time = null) { $this->event(new QueryExecuted($query, $bindings, $time, $this)); if ($this->loggingQueries) {
```

Arguments

1. "SQLSTATE[HY000] [1045] Access denied for user 'root'@'localhost' (using password: YES) (SQL: select \* from `site\_categories` where `is\_active` = 1 and `site\_cat` ▶"

No comments for this stack frame.

## Environment & details:

GET Dataempty

POST Dataempty

Filesempty

Cookiesempty

Sessionempty

## Server/Request Data

USER	"www-data"
HOME	"/var/www"
SCRIPT_NAME	"/index.php"
REQUEST_URI	"/view-pdf/68180"
QUERY_STRING	""
REQUEST_METHOD	"GET"
SERVER_PROTOCOL	"HTTP/1.1"
GATEWAY_INTERFACE	"CGI/1.1"
REDIRECT_URL	"/view-pdf/68180"
REMOTE_PORT	"48276"
SCRIPT_FILENAME	"/opt/www/cefintrucks.com/catalin/public
SERVER_ADMIN	"[no address given]"
CONTEXT_DOCUMENT_ROOT	"/opt/www/cefintrucks.com/catalin/public
CONTEXT_PREFIX	""
REQUEST_SCHEME	"https"
DOCUMENT_ROOT	"/opt/www/cefintrucks.com/catalin/public
REMOTE_ADDR	"10.10.0.254"